

PROEM HERBARIA



VOL. I



NATIONAL HERBARIUM OF CANADA
FLORA OF MANITOBA

Salicornia rubra Nels.

Lake Winnipegosis: salt marsh, Salt Point, Dawson Bay.

H. J. Scoggan, No. 4536

Aug. 13, 1948





Fasc. X.
VI. 1931.

HEDERAHUM FLORAE CAUCASICAE

currents G. W. O. S. N. Q. B.

467. *Aethionema Woronowii* B. Schischkin n. sp.

Sect. Isoptera W. Busch.
Glaberrius, basi sulfraticosum, canibus numerosis virgatis 35-40 cm. latis, tota longitudine alternatim foliosa, apice parce ramosa; foliis elliptico-linearibus, 2,5 cm. longis, 2-5 cm. latis obtusiusculis basi attenuatis sessiliibus; racemos terminalibus multifloris sub anthesis densis subcapitatis, δ in longiusculis, pedicellis calycoea vix superariibus; sepalis purpurascensibus obtusis 15 mm. longis alboramarginatis; petalis roseis spatulatis rotunda luteo duplo longioribus; filamentis majoribus a basi paria connatis, aia unilaterali ad medium abrupte levata auctis, dentululis filicis ellipticis, barbe que late surginatis, vel obsolete retusa, 7 mm. longis, 4 mm. latis unilocularibus monospermis, sala in utrinque loculo aquileiata Stylo.



Axiflora p. 15.
Axiflora Ae. Zizyphus
prioris foliis
sterioris foliis
I-1,5cm.l., ca-
nulae/inflor.
ab utruncis atque
Boiss. et Ae. elongata Boiss., a
bus, caulinibus minus remotis, a po-
nusculis ad 2-3cm.longis, nec
superne foliatis / nec longissime
a subcapitata/nec elongata laxa/
-insculpta discedit.

Ab Ae. Lipskyi L. difiert floribus roseis / nec
albis, siliculis basi et apice emarginatis / nec
truncatis / b.
Armenia cica. Vallis fl. Araxis inter
Toden et Baghish
str. Kaghzman, in clivis lapidesis

15.VI.1913 1e.

Ar. georg. : Armenia leg. Caucasus / Z.A. / .

Determ. A. Grossheim.



Specimen authenticum









Height
Soil
Asp.
Burning
Photo No.
Notes

HERB. HORT. EDINB.



Abundance Abundant



Type Specimen